Code No: 135AF

JAWAHARLAL NEHRU TECHNOLOGICAL UNIVERSITY HYDERABAD

B. Tech III Year I Semester Examinations, May/June - 2019 DESIGN AND ANALYSIS OF ALGORITHMS

(Common to CSE, IT)

Time:	3 hours Max. Marks: 7	15
Note:	This question paper contains two parts A and B. Part A is compulsory which carries 25 marks. Answer all questions in Part A. Part consists of 5 Units. Answer any one full question from each unit. Each question carried marks and may have a, b, c as sub questions. PART - A (25 Mark)	es S
1.a) b) c) d) e) f) g) h) i) j)	In what way a time complexity differs from space complexity. Give the general plan of divide and conquer algorithms. Write an algorithm for collapsing find. Define Backtracking? List the applications of Backtracking What is the importance of knapsack algorithm in our daily life? Write Control Abstraction of Greedy method. What you mean by dynamic programming. Define optimal binary search tree with an example. State the difference between FIFO and LC Branch and Bound algorithms. Write the Control Abstraction of Least – Cost Branch and Bound. PART - B (50 Mark)	71. 31.
2.a) b)	What are the different mathematical notations used for algorithm analysis. Write Divide – And – Conquer recursive Quick sort algorithm and analyze the algorithm for average time complexity. OR Write Randomized algorithm of Quicksort.	0]
4.	Write an algorithm to determine the Hamiltonian cycle in a given graph usin backtracking. OR Explain the AND/OR graph problem with an example.	0]
6.a) b)	Explain the Knapsack problem with an example. Write a greedy algorithm for sequencing unit time jobs with deadlines and profit [10]	
7.	State the Job – Sequencing with deadlines problem. Find an optimal sequence to the $n=5$ Jobs where profits (P1, P2, P3, P4, P5) = (20, 15, 10, 5, 1) and deadline (d1, d2, d3, d4, d5) =(2, 2, 1, 3, 3).	es

Draw an Optimal Binary Search Tree for n=4 identifiers (a1,a2,a3,a4) = (do, if, read, while) $P(1:4)=(3,3,1,1)$ and $Q(0:4)=(2,3,1,1,1)$.						
			problem can b	e solved using	dynamic [10]	
Solve the Travelling Salesman problem using branch and bound algorithms.					[10]	
Explain the FIFO BB 0/1 Knapsack problem procedure with the knapsack instance for $n=4$, $m=15$, $(p1,p2,p3,p4)=(10,10,12,18)$, $(w1,w2,w3,w4)=(2,4,6,9)$. Draw the portion of the state space tree and find optimal solution. [10]						
		00O00	æ			
88	314	OK.	S FX		3 TV	
8R		88				
88,	§R.	88	82	8R		
76 76						
8R	8,8	8 R	88	SE	8R	
×		,	213 ÎN 3	- 1 C - 1000 C	7" N 3" "N	
	while) P(1:4 Explain how programming Solve the Tree Explain the n=4, m=15, (of the state see Solve the Solve the Solve the Solve the Tree Solve the Tree Solve the Solve the Tree Solve the Tree Solve the Tree Solve the Solve the Tree Solve the Solve the Tree Solve the Solve the Solve the Solve the Tree Solve the Solve the Tree Solve the Solve the Tree Solve the Tr	while) P(1:4)=(3,3,1.1) and C Explain how Matrix — chai programming with suitable ex Solve the Travelling Salesma Explain the FIFO BB 0/1 Kna n=4, m=15,(p1.p2,p3,p4)=(10 of the state space tree and fine	while) P(1:4)=(3.3,1.1) and Q(0:4)=(2.3,1,1.1) OR Explain how Matrix — chain Multiplication programming with suitable example. Solve the Travelling Salesman problem using to OR Explain the FIFO BB 0/1 Knapsack problem p n=4, m=15,(p1.p2.p3.p4)=(10,10.12.18), (w1.v of the state space tree and find optimal solutionooOoo	while) P(1:4)=(3.3,1.1) and Q(0:4)=(2.3,1.1.1). OR Explain how Matrix — chain Multiplication problem can b programming with suitable example. Solve the Travelling Salesman problem using branch and boun OR Explain the FIFO BB 0/1 Knapsack problem procedure with th n=4, m=15,(p1.p2.p3.p4)=(10.10.12.18). (w1.w2.w3.w4) = (2.4 of the state space tree and find optimal solution. ooOoo	while) P(1:4)=(3,3,1,1) and Q(0:4)=(2,3,1,1,1). OR Explain how Matrix – chain Multiplication problem can be solved using or programming with suitable example. Solve the Travelling Salesman problem using branch and bound algorithms. OR Explain the FIFO BB 0/1 Knapsack problem procedure with the knapsack instarn=4, m=15,(p1,p2,p3,p4)=(10,10,12,18), (w1,w2,w3,w4) =(2, 4, 6, 9). Draw the of the state space tree and find optimal solution. ooOoo	